# HIKVISION

iVMS-4200 AC V1.9.1

**Release Notes** 

#### **Legal Information**

#### © 2023 Hangzhou Hikvision Digital Technology Co., Ltd. All rights reserved.

This Document (hereinafter referred to be "the Document") is the property of Hangzhou Hikvision Digital Technology Co., Ltd. or its affiliates (hereinafter referred to as "Hikvision"), and it cannot be reproduced, changed, translated, or distributed, partially or wholly, by any means, without the prior written permission of Hikvision. Unless otherwise expressly stated herein, Hikvision does not make any warranties, guarantees or representations, express or implied, regarding to the Document, any information contained herein.

#### **About this Document**

Pictures, charts, images and all other information hereinafter are for description and explanation only. The information contained in the Document is subject to change, without notice, due to updates or other reasons.

Please use this Document with the guidance and assistance of professionals trained in supporting the Product.

#### **LEGAL DISCLAIMER**

TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, THE DOCUMENT IS PROVIDED "AS IS" AND "WITH ALL FAULTS AND ERRORS". HIKVISION MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. IN NO EVENT WILL HIKVISION BE LIABLE FOR ANY SPECIAL, CONSEQUENTIAL, INCIDENTAL, OR INDIRECT DAMAGES INCLUDING, AMONG OTHERS, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, OR LOSS OF DATA, CORRUPTION OF SYSTEMS, OR LOSS OF DOCUMENTATION, WHETHER BASED ON BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE), OR OTHERWISE, IN CONNECTION WITH THE USE OF THE DOCUMENT, EVEN IF HIKVISION HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR LOSS.

# **TABLE OF CONTENTS**

Chapter 1 Introduction	
1.1 Overview	
1.2 Version	1
1.3 Components	1
Chapter 2 What's New	
2.1 Person Management	
2.1.1 Updated Features	
2.2 Access Control	
2.2.1 Added Features	错误!未定义书签。
2.3 Operation and Maintenance	错误!未定义书签。
2.3.1 Added Features	
Chapter 3 Resolved Issues	

# **Chapter 1 Introduction**

#### 1.1 Overview

iVMS-4200 AC Client software is designed to configure and manage Hikvision devices in a unified and intuitive manner, including video intercom devices and access control devices.

The software provides multiple functionalities including person management, access control, video intercom, time & attendance, etc.

#### 1.2 Version

Version	Date
iVMS-4200AC V1.9.1	2023-03

# 1.3 Components


Component	Version	Date of Release	Latest Version or Not
Network SDK	V6.1.9.46	2022-10-14	No

# **Chapter 2 What's New**

# 2.1 System Configuration

#### 2.1.1 Added Features

Added the general parameter for system configuration: Device Auto Refresh Time. Supports setting the time for automatic refresh of the device. Configurable time range: from 1 to 5 minutes, 3 minutes by default.



### 2.2 Device Management

### 2.2.1 Updated Features

- 1. When jumping to a device Web page, the Web page language is consistent with the Client language.
- 2. When adding devices, the Client supports batch importing the non-encrypted exported device file.

#### 2.2.2 Deleted Features

Deleted the mode of adding device by ISUP account.

#### 2.3 Event Center


#### 2.3.1 Added Features

Added the person passing event.

### 2.4 Person Management

#### 2.4.1 Added Features


Supports collecting a person's voiceprint via access control device.



#### 2.5 Access Control

#### 2.5.1 Added Features

 Supports setting the repeated authentication interval for card reader. After configuration, the same card number uploaded by different devices will only undergo access permission applying once during this interval.



- 2. Supports setting the authentication attempt numbers of schedule templates.
- 3. Supports resetting the authentication attempt numbers.

### 2.5.2 Updated Features

1. Supports manually refreshing door status.



2. Supports applying person voiceprint(s) to devices as person access control credentials.

#### 2.6 Time and Attendance


#### 2.6.1 Added Features

Added monthly attendance statistics items in reports, including total, actual, late, early leave, absent.


# 2.7 Remote Configuration

#### 2.7.1 Added Features


1. Supports enabling person passing records. After enabling, the device will record and upload the person passing records.




2. Supports setting the lamp effect management parameters.



3. Supports setting channel control management.



4. Supports setting person channel management.



# **Chapter 3 Resolved Issues**

The following are issues resolved in this version.

No.	Issue	Frequency
1	When setting high DPI on the computer, the Client displays different font size.	High
2	When searching for visitor information on the DS-K5032 visitor terminal, the Client returns message slowly, resulting in a waiting state on the device.	High
3	When the V3.9.0.5 Client is connected to the elevator controller, which is externally connected to the sub controller, the holiday schedule configuration failed for the card readers starting from No.17.	High

